


Off-Campus Site Facilities Evaluation

Site Name: <b>CLEARWATER HIGH SCHOOL</b>	
Program(s) Intending to offer 49% or less	
Checklist Item	Determination Yes/No/NA
1 Instructional resources and supplies are adequate	YES
2 Library resources are adequate (Attach a list of resources maintained on site)	YES
3 Library services are adequate	YES
4 Technology resources are adequate	YES
5 Technology services are adequate	YES
3 Program equipment meets educational or industry standards	YES
5 Classrooms and laboratories have adequate space	YES
6 Adequate lighting and ventilation are present in classrooms and labs.	YES
7 Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	YES
8 Blood borne pathogens and exposure control plans are properly posted and followed.	YES
9 Instructional area safety rules are posted	YES
10 Equipment is maintained in good operating condition	YES
11 Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices.	YES
12 Program laboratories are equipped with emergency disconnect switches.	N/A
13 Equipment is located within safety zones per applicable state and federal regulations	YES
14 Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs.	YES


Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered.

**THE CHS DUAL ENROLLMENT CLASSROOM AND NEW MEDIA CENTER HAVE MORE THAN ADEQUATE FACILITIES, TECHNOLOGY AND RESOURCES TO MEET THE NEEDS OF OUR DUAL ENROLLMENT STUDENTS.**

List name(s) with title(s) of reviewer(s):

SPC Representative: 

Date of review: 10/4/22

Off-Campus Instructional Site Representative: 

Date of review: 10/4/22

Next ANNUAL Review will be conducted by May 15, 2023

Off-Campus Site Facilities Evaluation

Site Name: <u>CALVARY CHRISTIAN HIGH SCHOOL</u>	
Program(s) Intending to offer 49% or less	
Checklist Item	Determination Yes/No/NA
1 Instructional resources and supplies are adequate	YES
2 Library resources are adequate (Attach a list of resources maintained on site)	YES
3 Library services are adequate	YES
4 Technology resources are adequate	YES
5 Technology services are adequate	YES
3 Program equipment meets educational or industry standards	YES
5 Classrooms and laboratories have adequate space	YES
6 Adequate lighting and ventilation are present in classrooms and labs.	YES
7 Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	YES
8 Blood borne pathogens and exposure control plans are properly posted and followed.	YES
9 Instructional area safety rules are posted	YES
10 Equipment is maintained in good operating condition	YES
11 Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices.	YES
12 Program laboratories are equipped with emergency disconnect switches.	YES
13 Equipment is located within safety zones per applicable state and federal regulations	YES
14 Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs.	YES

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered. ALL CCAS DUAL ENROLLMENT CLASSROOMS AND JSVORE CENTER HAVE ADEQUATE FACILITIES TECHNOLOGY AND RESOURCES TO MEET THE NEEDS OF OUR DUAL ENROLLMENT STUDENTS.

List name(s) with title(s) of reviewer(s):

SPC Representative: *J. M. [Signature]*

Date of review: 9/20/22

Off-Campus Instructional Site Representative: *Joi Hale*

Date of review: 9/20/22

Next ANNUAL Review will be conducted by May 15, 2023

Off-Campus Site Facilities Evaluation

Site Name:		
Program(s) Intending to offer 49% or less		
Checklist Item		Determination Yes / No / NA
1	Instructional resources and supplies are adequate	
2	Library resources are adequate (Attach a list of resources maintained on site)	
3	Library services are adequate	
4	Technology resources are adequate	
5	Technology services are adequate	
3	Program equipment meets educational or industry standards	
5	Classrooms and laboratories have adequate space	
6	Adequate lighting and ventilation are present in classrooms and labs.	
7	Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	
8	Blood borne pathogens and exposure control plans are properly posted and followed.	
9	Instructional area safety rules are posted	
10	Equipment is maintained in good operating condition	
11	Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices	
12	Program laboratories are equipped with emergency disconnect switches	
13	Equipment is located within safety zones per applicable state and federal regulations	
14	Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs	

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered.

List name(s) with title(s) of reviewer(s):

SPC Representative: \_\_\_\_\_

Date of review: \_\_\_\_\_

Off-Campus Instructional Site Representative: \_\_\_\_\_

Date of review: \_\_\_\_\_

Next ANNUAL Review will be conducted by May 15, 2023



Off-Campus Site Facilities Evaluation

Site Name: <u>Seminole HS</u>		<u>9/15/22</u>
Program(s) Intending to offer 49% or less		
Checklist Item		Determination Yes/No/NA
1	Instructional resources and supplies are adequate	Yes
2	Library resources are adequate (Attach a list of resources maintained on site)	Yes
3	Library services are adequate	Yes
4	Technology resources are adequate	Yes
5	Technology services are adequate	Yes
3	Program equipment meets educational or industry standards	Yes
5	Classrooms and laboratories have adequate space	Yes
6	Adequate lighting and ventilation are present in classrooms and labs.	Yes
7	Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	Yes
8	Blood borne pathogens and exposure control plans are properly posted and followed.	Yes
9	Instructional area safety rules are posted	Yes
10	Equipment is maintained in good operating condition	Yes
11	Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices.	Yes
12	Program laboratories are equipped with emergency disconnect switches.	Yes
13	Equipment is located within safety zones per applicable state and federal regulations	Yes
14	Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs.	Yes

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered.

all SHS Dual Enrollment Classrooms and media Center areas have adequate facilities, technology, and resources to support the needs of our Dual Enrollment Students.

List name(s) with title(s) of reviewer(s):

SPC Representative:

[Signature]

Date of review:

9/15/22

Off-Campus Instructional Site Representative:

[Signature: Bunatra]

Date of review:

9/15/22

Next ANNUAL Review will be conducted by May 15, 2023

Off-Campus Site Facilities Evaluation

Site Name:		Richard O. Jacobson High School
Program(s) Intending to offer 49% or less		
Checklist Item		Determination Yes / No / NA
1	Instructional resources and supplies are adequate	Yes
2	Library resources are adequate (Attach a list of resources maintained on site)	Yes
3	Library services are adequate	Yes
4	Technology resources are adequate	Yes
5	Technology services are adequate	Yes
3	Program equipment meets educational or industry standards	Yes
5	Classrooms and laboratories have adequate space	Yes
6	Adequate lighting and ventilation are present in classrooms and labs.	Yes
7	Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	Yes
8	Blood borne pathogens and exposure control plans are properly posted and followed.	Yes
9	Instructional area safety rules are posted	Yes
10	Equipment is maintained in good operating condition	Yes
11	Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices	Yes
12	Program laboratories are equipped with emergency disconnect switches	Yes
13	Equipment is located within safety zones per applicable state and federal regulations	Yes
14	Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs	Yes

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered.

All Richard O. Jacobson High School Dual Enrollment classrooms <sup>N/A</sup> and ~~media center areas~~ have adequate facilities, technology, and resources to support the needs of our Dual Enrollment students.

List name(s) with title(s) of reviewer(s):

SPC Representative: Sherry Pantelides



Weds Oct 5 2:45

Date of review: 10/5/2022

Off-Campus Instructional Site Representative:



Date of review: 10/5/2022

Next ANNUAL Review will be conducted by May 15, 2023

Off-Campus Site Facilities Evaluation

Site Name:		
Program(s) Intending to offer 49% or less		
Checklist Item		Determination Yes / No / NA
1	Instructional resources and supplies are adequate	
2	Library resources are adequate (Attach a list of resources maintained on site)	
3	Library services are adequate	
4	Technology resources are adequate	
5	Technology services are adequate	
3	Program equipment meets educational or industry standards	
5	Classrooms and laboratories have adequate space	
6	Adequate lighting and ventilation are present in classrooms and labs.	
7	Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	
8	Blood borne pathogens and exposure control plans are properly posted and followed.	
9	Instructional area safety rules are posted	
10	Equipment is maintained in good operating condition	
11	Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices	
12	Program laboratories are equipped with emergency disconnect switches	
13	Equipment is located within safety zones per applicable state and federal regulations	
14	Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs	

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered.

List name(s) with title(s) of reviewer(s):

SPC Representative: \_\_\_\_\_

Date of review: \_\_\_\_\_

Off-Campus Instructional Site Representative: \_\_\_\_\_

Date of review: \_\_\_\_\_

Next ANNUAL Review will be conducted by May 15, 2023

Off-Campus Site Facilities Evaluation

Site Name:		
Program(s) Intending to offer 49% or less		
Checklist Item		Determination Yes / No / NA
1	Instructional resources and supplies are adequate	
2	Library resources are adequate (Attach a list of resources maintained on site)	
3	Library services are adequate	
4	Technology resources are adequate	
5	Technology services are adequate	
3	Program equipment meets educational or industry standards	
5	Classrooms and laboratories have adequate space	
6	Adequate lighting and ventilation are present in classrooms and labs.	
7	Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	
8	Blood borne pathogens and exposure control plans are properly posted and followed.	
9	Instructional area safety rules are posted	
10	Equipment is maintained in good operating condition	
11	Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices	
12	Program laboratories are equipped with emergency disconnect switches	
13	Equipment is located within safety zones per applicable state and federal regulations	
14	Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs	

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered.

List name(s) with title(s) of reviewer(s):

SPC Representative: \_\_\_\_\_

Date of review: \_\_\_\_\_

Off-Campus Instructional Site Representative: \_\_\_\_\_

Date of review: \_\_\_\_\_

Next ANNUAL Review will be conducted by May 15, 2023



Off-Campus Site Facilities Evaluation

Site Name: <u>PINELLAS PARK HIGH SCHOOL</u>	
Program(s) Intending to offer 49% or less	
Checklist Item	Determination Yes/No/NA
1 Instructional resources and supplies are adequate	YES
2 Library resources are adequate (Attach a list of resources maintained on site)	YES
3 Library services are adequate	YES
4 Technology resources are adequate	YES
5 Technology services are adequate	YES
3 Program equipment meets educational or industry standards	YES
5 Classrooms and laboratories have adequate space	YES
6 Adequate lighting and ventilation are present in classrooms and labs.	YES
7 Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	YES
8 Blood borne pathogens and exposure control plans are properly posted and followed.	YES
9 Instructional area safety rules are posted	YES
10 Equipment is maintained in good operating condition	YES
11 Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices.	YES
12 Program laboratories are equipped with emergency disconnect switches.	YES
13 Equipment is located within safety zones per applicable state and federal regulations	YES
14 Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs.	YES

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered.

*ALL PPHS DUAL ENROLLMENT CLASSROOMS AND MEDIA CENTER HAVE ADEQUATE FACILITIES, TECHNOLOGY, AND RESOURCES TO MEET THE NEEDS OF OUR DUAL ENROLLMENT STUDENTS.*

List name(s) with title(s) of reviewer(s):

SPC

Representative:

*[Signature]*

Date of review:

*9/13/22*

Off-Campus Instructional Site Representative:

*Cassandra C. Boegatz*

Date of review:

*9/13/22*

Next ANNUAL Review will be conducted by May 15, 2023



Off-Campus Site Facilities Evaluation

Site Name: <u>COUNTRYSIDE HIGH SCHOOL</u>	
Program(s) Intending to offer 49% or less	
Checklist Item	Determination Yes/No/NA
1 Instructional resources and supplies are adequate	Y
2 Library resources are adequate (Attach a list of resources maintained on site)	Y
3 Library services are adequate	Y
4 Technology resources are adequate	Y
5 Technology services are adequate	Y
3 Program equipment meets educational or industry standards	Y
5 Classrooms and laboratories have adequate space	Y
6 Adequate lighting and ventilation are present in classrooms and labs.	Y
7 Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	Y
8 Blood borne pathogens and exposure control plans are properly posted and followed.	Y
9 Instructional area safety rules are posted	Y
10 Equipment is maintained in good operating condition	Y
11 Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices.	Y
12 Program laboratories are equipped with emergency disconnect switches.	Y
13 Equipment is located within safety zones per applicable state and federal regulations	Y
14 Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs.	Y

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered. ALL CHS DUAL ENROLLMENT CLASSROOMS HAVE ADEQUATE FACILITIES, TECHNOLOGY, AND RESOURCES TO MEET THE NEEDS OF OUR DUAL ENROLLMENT STUDENTS.

List name(s) with title(s) of reviewer(s):

SPC Representative: JEFF CESIA

Date of review: 9/9/22

Off-Campus Instructional Site Representative: Paul Burt 9/9/22

Date of review: \_\_\_\_\_

Next ANNUAL Review will be conducted by May 15, 2023

Off-Campus Site Facilities Evaluation

Site Name:		
Program(s) Intending to offer 49% or less		
Checklist Item		Determination Yes / No / NA
1	Instructional resources and supplies are adequate	
2	Library resources are adequate (Attach a list of resources maintained on site)	
3	Library services are adequate	
4	Technology resources are adequate	
5	Technology services are adequate	
3	Program equipment meets educational or industry standards	
5	Classrooms and laboratories have adequate space	
6	Adequate lighting and ventilation are present in classrooms and labs.	
7	Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	
8	Blood borne pathogens and exposure control plans are properly posted and followed.	
9	Instructional area safety rules are posted	
10	Equipment is maintained in good operating condition	
11	Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices	
12	Program laboratories are equipped with emergency disconnect switches	
13	Equipment is located within safety zones per applicable state and federal regulations	
14	Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs	

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered.

List name(s) with title(s) of reviewer(s):

SPC Representative: \_\_\_\_\_

Date of review: \_\_\_\_\_

Off-Campus Instructional Site Representative: \_\_\_\_\_

Date of review: \_\_\_\_\_

Next ANNUAL Review will be conducted by May 15, 2023

Off-Campus Site Facilities Evaluation

Site Name:		Osceola Fundamental High School
Program(s) Intending to offer 49% or less		
Checklist Item		Determination Yes / No / NA
1	Instructional resources and supplies are adequate	Yes
2	Library resources are adequate (Attach a list of resources maintained on site)	Yes
3	Library services are adequate	Yes
4	Technology resources are adequate	Yes
5	Technology services are adequate	Yes
3	Program equipment meets educational or industry standards	Yes
5	Classrooms and laboratories have adequate space	Yes
6	Adequate lighting and ventilation are present in classrooms and labs.	Yes
7	Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	Yes
8	Blood borne pathogens and exposure control plans are properly posted and followed.	Yes
9	Instructional area safety rules are posted	Yes
10	Equipment is maintained in good operating condition	Yes
11	Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices	Yes
12	Program laboratories are equipped with emergency disconnect switches	Yes
13	Equipment is located within safety zones per applicable state and federal regulations	Yes
14	Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs	Yes

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered.

All Osceola fundamental High School Dual Enrollment classrooms and media center areas have adequate facilities, technology, and resources to support the needs of our Dual Enrollment students.

List name(s) with title(s) of reviewer(s):

SPC Representative: Sherry Pantelides

 Thurs Oct 6

Date of review: 10/6/2022

Off-Campus Instructional Site Representative: Daniel Schmitt



Date of review: 10/6/22

Next ANNUAL Review will be conducted by May 15, 2023

Off-Campus Site Facilities Evaluation

Site Name:		<b>Northside Christian School</b>
Program(s) Intending to offer 49% or less		
Checklist Item		Determination Yes / No / NA
1	Instructional resources and supplies are adequate	Yes
2	Library resources are adequate (Attach a list of resources maintained on site)	Yes
3	Library services are adequate	Yes
4	Technology resources are adequate	Yes
5	Technology services are adequate	Yes
3	Program equipment meets educational or industry standards	Yes
5	Classrooms and laboratories have adequate space	Yes
6	Adequate lighting and ventilation are present in classrooms and labs.	Yes
7	Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	Yes
8	Blood borne pathogens and exposure control plans are properly posted and followed.	Yes
9	Instructional area safety rules are posted	Yes
10	Equipment is maintained in good operating condition	Yes
11	Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices	Yes
12	Program laboratories are equipped with emergency disconnect switches	Yes
13	Equipment is located within safety zones per applicable state and federal regulations	Yes
14	Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs	Yes

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered.

All Northside Christian School Dual Enrollment classrooms and media center areas have adequate facilities, technology, and resources to support the needs of our Dual Enrollment students.

List name(s) with title(s) of reviewer(s):

SPC Representative: Sherry Pantelides



Date of review: 9/26/22

Off-Campus Instructional Site Representative:



Date of review: \_\_\_\_\_

Next ANNUAL Review will be conducted by May 15, 2023



Off-Campus Site Facilities Evaluation

Site Name: <b>NORTHEAST HIGH SCHOOL</b>	
Program(s) Intending to offer 49% or less	
Checklist Item	Determination Yes/No/NA
1 Instructional resources and supplies are adequate	YES
2 Library resources are adequate (Attach a list of resources maintained on site)	YES
3 Library services are adequate	YES
4 Technology resources are adequate	YES
5 Technology services are adequate	YES
3 Program equipment meets educational or industry standards	YES
5 Classrooms and laboratories have adequate space	YES
6 Adequate lighting and ventilation are present in classrooms and labs.	YES
7 Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	YES
8 Blood borne pathogens and exposure control plans are properly posted and followed.	YES
9 Instructional area safety rules are posted	YES
10 Equipment is maintained in good operating condition	YES
11 Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices.	YES
12 Program laboratories are equipped with emergency disconnect switches.	YES
13 Equipment is located within safety zones per applicable state and federal regulations	YES
14 Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs.	YES

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered.

**ALL NEHS DUAL ENROLLMENT CLASSROOMS AND MEDICAL CENTER HAVE ADEQUATE FACILITIES, TECHNOLOGY AND RESOURCES TO MEET THE NEEDS OF OUR DUAL ENROLLMENT**

List name(s) with title(s) of reviewer(s): **STUDENTS.**

SPC Representative: 

Date of review: **9/9/22**

Off-Campus Instructional Site Representative: 

Date of review: **9/19/22**

Next ANNUAL Review will be conducted by May 15, 2023

Off-Campus Site Facilities Evaluation

Site Name:		
Program(s) Intending to offer 49% or less		
Checklist Item		Determination Yes / No / NA
1	Instructional resources and supplies are adequate	
2	Library resources are adequate (Attach a list of resources maintained on site)	
3	Library services are adequate	
4	Technology resources are adequate	
5	Technology services are adequate	
3	Program equipment meets educational or industry standards	
5	Classrooms and laboratories have adequate space	
6	Adequate lighting and ventilation are present in classrooms and labs.	
7	Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	
8	Blood borne pathogens and exposure control plans are properly posted and followed.	
9	Instructional area safety rules are posted	
10	Equipment is maintained in good operating condition	
11	Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices	
12	Program laboratories are equipped with emergency disconnect switches	
13	Equipment is located within safety zones per applicable state and federal regulations	
14	Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs	

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered.

List name(s) with title(s) of reviewer(s):

SPC Representative: \_\_\_\_\_

Date of review: \_\_\_\_\_

Off-Campus Instructional Site Representative: \_\_\_\_\_

Date of review: \_\_\_\_\_

Next ANNUAL Review will be conducted by May 15, 2023

Off-Campus Site Facilities Evaluation

Site Name:		<b>Largo High school</b>
Program(s) Intending to offer 49% or less		
Checklist Item		Determination Yes / No / NA
1	Instructional resources and supplies are adequate	Yes
2	Library resources are adequate (Attach a list of resources maintained on site)	Yes
3	Library services are adequate	Yes
4	Technology resources are adequate	Yes
5	Technology services are adequate	Yes
3	Program equipment meets educational or industry standards	Yes
5	Classrooms and laboratories have adequate space	Yes
6	Adequate lighting and ventilation are present in classrooms and labs.	Yes
7	Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	Yes
8	Blood borne pathogens and exposure control plans are properly posted and followed.	Yes
9	Instructional area safety rules are posted	Yes
10	Equipment is maintained in good operating condition	Yes
11	Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices	Yes
12	Program laboratories are equipped with emergency disconnect switches	Yes
13	Equipment is located within safety zones per applicable state and federal regulations	Yes
14	Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs	Yes

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered.

All Largo High School Dual Enrollment classrooms and media center areas have adequate facilities, technology, and resources to support the needs of our Dual Enrollment students.


List name(s) with title(s) of reviewer(s):

SPC Representative: Sherry Pantelides



Date of review: 9/19/2022

Off-Campus Instructional Site Representative:



Date of review: 9/19/22

Next ANNUAL Review will be conducted by May 15, 2023

Off-Campus Site Facilities Evaluation

Site Name:		<b>Hollins High School</b>
Program(s) Intending to offer 49% or less		
Checklist Item		Determination Yes / No / NA
1	Instructional resources and supplies are adequate	Yes
2	Library resources are adequate (Attach a list of resources maintained on site)	Yes
3	Library services are adequate	Yes
4	Technology resources are adequate	Yes
5	Technology services are adequate	Yes
3	Program equipment meets educational or industry standards	Yes
5	Classrooms and laboratories have adequate space	Yes
6	Adequate lighting and ventilation are present in classrooms and labs.	Yes
7	Emergency plans (fire, tornado, earthquakes, etc.) are properly posted.	Yes
8	Blood borne pathogens and exposure control plans are properly posted and followed.	Yes
9	Instructional area safety rules are posted	Yes
10	Equipment is maintained in good operating condition	Yes
11	Equipment in labs has safety devices in place, and students are instructed in the proper use of the safety devices	Yes
12	Program laboratories are equipped with emergency disconnect switches	Yes
13	Equipment is located within safety zones per applicable state and federal regulations	Yes
14	Hazardous and recyclable waste (used oil, anti-freeze, solvents, etc.) disposal properly occurs	Yes

Provide a brief narrative supporting the determination that this site can support student learning for the program (2) and course(s) offered.

All Hollins High School Dual Enrollment classrooms and media center areas have adequate facilities, technology, and resources to support the needs of our Dual Enrollment students.

List name(s) with title(s) of reviewer(s):

SPC Representative: Sherry Pantelides



Date of review: 9/22/2022

Off-Campus Instructional Site Representative:

 Candice Metcalf

Date of review: 09/22/22

Next ANNUAL Review will be conducted by May 15, 2023